

2022 CALGREEN CHECKLIST RESIDENTIAL ADDITIONS AND ALTERATIONS

BPC-066

The provisions of this checklist apply to projects with an Increase in Conditioned Area, Volume or Size of existing low-rise residential buildings, including hotels, motels, lodging houses, dwellings, dormitories, condominiums, shelters, congregate residences, employee housing, factory-built housing and other types of residential occupancies where the addition or alteration increases the building's conditioned area, volume, or size. The requirements shall apply only to and/or within the specific area of the addition or alteration. Detached "U" occupancy buildings and repairs to existing structures are not subject to the requirements of CALGreen. Existing site and landscaping improvements that are not otherwise disturbed are also not subject to the requirements of CALGreen.

APPENDIX A4

(Revised per County of Sonoma Requirements - Based on 2022 CALGreen)

Building Permit Number: _____ Project Name: _____

Project Address: _____

Project Description: _____

INSTRUCTIONS:

- A. For **Owner-Builder Permits** – The Owner or the Owner's agent shall:
 1. Complete the project information above.
 2. Read this checklist and understand the project requirements
 3. Consult with a 3rd Party CALGreen Special Inspector to determine if any mandatory CALGreen measures are not applicable to the project and mark accordingly in Column 1 or the checklist. Provide an explanation for why each measure to be marked "N/A" is not applicable to the project.
 4. Complete the CALGreen acknowledgement in Section 1 on the last page of the checklist
 5. Submit the entire form to Permit Sonoma along with the building permit application.
- B. For **permits issued to Licensed Contractors** – The Owner and the Contractor shall:
 1. Be sure that the project information above is complete.
 2. Read this checklist and understand the project requirements.
 3. Consult with a 3rd Party CALGreen Special Inspector to determine if any mandatory CALGreen measures are not applicable to the project and mark accordingly in Column 1 or the checklist. Provide an explanation for why each measure to be marked "N/A" is not applicable to the project.
 4. Complete and sign (both Owner and Contractor or their authorized agents) the CALGreen acknowledgement in Section 1 on the last page of the checklist.
 5. Be sure that the entire CALGreen Checklist is submitted to Permit Sonoma with the building permit application.
- C. **Prior to permit submittal**, the third Party CALGreen Special Inspector shall complete **Column 3** of the checklist verifying that each mandatory feature or measure has been adequately incorporated into the project plans and/or construction documents.

- D. During construction, the third Party CalGreen Special Inspector hired by the Owner will verify those measures checked in **Column 2** of the checklist and indicate compliance verification in **Column 4**.
- E. Prior to final inspection by Permit Sonoma, the CALGreen Special Inspector shall complete **Column 4** and sign and date the **Implementation Verification** section at the end of this checklist.
- F. All CALGreen Mandatory Measure Locations must be located and identified within the plan set and their locations notated next to the Blue Text – “Indicate the plan sheet number where the measure above is noted on plans.” Proper location identification of the Mandatory CALGreen Measure within the CALGreen Checklist is Required.

NOTE: The CALGreen Special Inspector shall not be the design professional or contractor for the project and shall not have a financial interest in the project for which services are being provided except for the cost of providing said services.

Column 1 Feature or Measure	Column 2 Project Requirements <i>These items are part of the approved plans and must be installed or incorporated into the project.</i>		Column 3 Verification <i>Complete after installation & prior to final inspection</i>
<i>See Chapter 4 of the 2022 California Green Building Code as adopted within the Sonoma County Code Section 7-13(a)(10) for a complete descriptions of features or measures listed here.</i>	Mandatory Measures	<i>Verification that measure is adequately detailed on project plans by Sonoma County approved CALGreen Special Inspector</i>	<i>Verification by Sonoma County approved CALGreen Special Inspector</i>
Site Development			
4.106.2 A plan is developed and implemented to manage storm water drainage during construction. See Sonoma County Code Chapter 11A (Storm Water Quality) for additional requirements.	☒	☐	☐
Indicate the plan sheet number where the measure above is noted on plans. _____			
4.106.3 Construction plans shall indicate how site grading or a drainage system will manage all surface water flows to keep water from entering buildings.	☒	☐	☐
Indicate the plan sheet number where the measure above is noted on plans. _____			
4.106.4 New construction shall comply with Section 4.106.4.1 or 4.106.4.2 to facilitate future installation and use of EV chargers. Electric vehicle supply equipment (EVSE) shall be installed in accordance with the California Electrical Code, Article 625.	☒	☐	☐
Indicate the plan sheet number where the measure above is noted on plans or indicate if not applicable. _____			
4.2 ENERGY EFFICIENCY	<i>All checked items are required</i>		
4.201.1 Building meets or exceeds the requirements of the California Building Energy Efficiency Standards.	☒	☐	☐

Column 1 Feature or Measure	Column 2 Project Requirements <i>These items are part of the approved plans and must be installed or incorporated into the project.</i>		Column 3 Verification <i>Complete after installation & prior to final inspection</i>
<i>See Chapter 4 of the 2022 California Green Building Code as adopted within the Sonoma County Code Section 7-13(a)(10) for a complete descriptions of features or measures listed here.</i>	Mandatory Measures	<i>Verification that measure is adequately detailed on project plans by Sonoma County approved CALGreen Special Inspector</i>	<i>Verification by Sonoma County approved CALGreen Special Inspector</i>
4.3 WATER EFFICIENCY AND CONSERVATION	All checked items are required		
Indoor Water Use			
4.303.1 Plumbing fixtures (water closets and urinals) and fittings (faucets and showerheads) installed in residential buildings shall comply with the prescriptive requirements of Sections 4.303.1.1 through 4.303.1.4.4.	☒	☐	☐
<i>Indicate the plan sheet number where the measure above is noted on plans or indicate if not applicable. _____</i>			
4.303.1.4.3 Metering faucets in residential buildings shall not deliver more than 0.2 gallons per cycle.	☒	☐	☐
<i>Indicate the plan sheet number where the measure above is noted on plans or indicate if not applicable. _____</i>			
4.303.2 Plumbing fixtures and fittings required in Section 4.303.1 shall be installed in accordance with the California Plumbing Code, and shall meet the applicable referenced standards.	☒	☐	☐
<i>Indicate the plan sheet number where the measure above is noted on plans or indicate if not applicable. _____</i>			
Outdoor Water Use			
4.304.1 Residential developments shall comply with a local water efficient landscape ordinance or the current California Department of Water Resources' Model Water Efficient Landscape Ordinance (MWELO), whichever is more stringent.	☒	☐	☐
<i>Indicate the plan sheet number where the measure above is noted on plans or indicate if not applicable. _____</i>			
MATERIAL CONSERVATION AND RESOURCE EFFICIENCY	All checked items are required		
Enhanced Durability and Reduced Maintenance			
4.406.1 Annular spaces around pipes, electric cables, conduits, or other openings in plates at exterior walls shall be protected against the passage of rodents by closing such openings with cement mortar, concrete masonry or similar method acceptable to the enforcing agency.	☒	☐	☐
<i>Indicate the plan sheet number where the measure above is noted on plans or indicate if not applicable. _____</i>			

Column 1 Feature or Measure	Column 2 Project Requirements <i>These items are part of the approved plans and must be installed or incorporated into the project.</i>		Column 3 Verification <i>Complete after installation & prior to final inspection</i>
<i>See Chapter 4 of the 2022 California Green Building Code as adopted within the Sonoma County Code Section 7-13(a)(10) for a complete descriptions of features or measures listed here.</i>	Mandatory Measures	<i>Verification that measure is adequately detailed on project plans by Sonoma County approved CALGreen Special Inspector</i>	<i>Verification by Sonoma County approved CALGreen Special Inspector</i>
Construction Waste Reduction, Disposal, and Recycling			
4.408.1 Recycle and/or salvage for reuse a minimum of 65 percent of the nonhazardous construction and demolition waste in accordance with one of the following: 1. Comply with a more stringent local construction and demolition waste management ordinance; or 2. A construction waste management plan, per Section 4.408.2; or 3. A waste management company, per Section 4.408.3; or 4. The waste stream reduction alternative, per Section 4.408.4.	☒		
Building Maintenance and Operation			
4.410.1 An operation and maintenance manual shall be provided to the building occupant or owner.	☒	☐	☐
4.410.2 Where 5 or more multifamily dwelling units are constructed on a building site, provide readily accessible area(s) that serve all buildings on the site and is identified for the depositing, storage and collection of non-hazardous materials for recycling, including (at a minimum) paper, corrugated cardboard, glass, plastics, organic waste, and metals.	☐	☐	☐
ENVIRONMENTAL QUALITY	All checked items are required		
Fireplaces			
4.503.1 Install only a direct-vent sealed-combustion gas or sealed wood-burning fireplace, or a sealed woodstove meeting the requirements of U.S. EPA New Source Performance Standards (NSPS) emission limits and Sonoma County Code Chapter 7C (Wood-Burning Appliances and Fireplaces) .	☒	☐	☐
Indicate the plan sheet number where the measure above is noted on plans or indicate if not applicable. _____			
Pollutant Control			
4.504.1 Duct openings and other related air distribution component openings shall be covered during construction.	☒	☐	☐
Indicate the plan sheet number where the measure above is noted on plans or indicate if not applicable. _____			
4.504.2.1 Adhesives, sealants and caulks shall be compliant with VOC and other toxic compound limits.	☒	☐	☐
Indicate the plan sheet number where the measure above is noted on plans or indicate if not applicable. _____			

Column 1 Feature or Measure	Column 2 Project Requirements <i>These items are part of the approved plans and must be installed or incorporated into the project.</i>		Column 3 Verification <i>Complete after installation & prior to final inspection</i>
<i>See Chapter 4 of the 2022 California Green Building Code as adopted within the Sonoma County Code Section 7-13(a)(10) for a complete descriptions of features or measures listed here.</i>	Mandatory Measures	<i>Verification that measure is adequately detailed on project plans by Sonoma County approved CALGreen Special Inspector</i>	<i>Verification by Sonoma County approved CALGreen Special Inspector</i>
4.504.2.2 Paints, stains and other coatings shall be compliant with VOC limits.	☒	☐	☐
<i>Indicate the plan sheet number where the measure above is noted on plans or indicate if not applicable. _____</i>			
4.504.2.3 Aerosol paints and other coatings shall be compliant with product weighted MIR Limits for ROC and other toxic compounds.	☒	☐	☐
<i>Indicate the plan sheet number where the measure above is noted on plans or indicate if not applicable. _____</i>			
4.504.2.4 Documentation shall be provided to verify that compliant VOC limit finish materials have been used.	☒	☐	☐
<i>Indicate the plan sheet number where the measure above is noted on plans or indicate if not applicable. _____</i>			
4.504.3 Carpet and carpet systems shall be compliant with VOC limits.	☒	☐	☐
<i>Indicate the plan sheet number where the measure above is noted on plans or indicate if not applicable. _____</i>			
4.504.5 Particleboard, medium density fiberboard (MDF), and hardwood plywood used in interior finish systems shall comply with low formaldehyde emission standards.	☒	☐	☐
<i>Indicate the plan sheet number where the measure above is noted on plans or indicate if not applicable. _____</i>			
Interior Moisture Control			
4.505.2 Vapor retarder and capillary break is installed at slab on grade foundations.	☒	☐	☐
<i>Indicate the plan sheet number where the measure above is noted on plans or indicate if not applicable. _____</i>			
4.505.3 Moisture content of building materials used in wall and floor framing is checked before enclosure.	☒	☐	☐
Indoor Air Quality and Exhaust			
4.506.1 Each bathroom (with tub or shower) shall include the following: 1. ENERGY STAR fans ducted to the outside of the building and 2. Fans must be controlled by a humidity controller or functioning as a component of a whole house ventilation system and 3. Humidity controls must have a manual or automatic means of adjustment, capable of adjusting between a relative humidity range of less than or equal to 50% up to a maximum of 80%.	☒	☐	☐
<i>Indicate the plan sheet number where the measure above is noted on plans or indicate if not applicable. _____</i>			

<u>Column 1</u> Feature or Measure	<u>Column 2</u> Project Requirements <i>These items are part of the approved plans and must be installed or incorporated into the project.</i>		<u>Column 3</u> Verification <i>Complete after installation & prior to final inspection</i>
<i>See Chapter 4 of the 2022 California Green Building Code as adopted within the Sonoma County Code Section 7-13(a)(10) for a complete descriptions of features or measures listed here.</i>	Mandatory Measures	<i>Verification that measure is adequately detailed on project plans by Sonoma County approved CALGreen Special Inspector</i>	<i>Verification by Sonoma County approved CALGreen Special Inspector</i>
Environmental Comfort			
4.507.2. Duct systems are sized and designed and equipment is selected using the following methods: 1. Establish heat loss and heat gain values according to ANSI/ACCA 2 Manual J-2016 or equivalent. 2. Size duct systems according to ANSI/ACCA 1 Manual D - 2016 or equivalent. 3. Select heating and cooling equipment according to ANSI/ACCA 3 Manual S-2014 or equivalent.	☒	☐	☐
Indicate the plan sheet number where the measure above is noted on plans or indicate if not applicable. _____			
INSTALLER AND CALGREEN SPECIAL INSPECTOR QUALIFICATIONS			
Qualifications			
702.1 HVAC system installer trained and certified in the proper installation of HVAC systems.	☒	☐	☐
702.2 The CALGreen Special Inspector for this project is listed by the County of Sonoma as an authorized CALGreen Special Inspector and is qualified and able to demonstrate competence in the discipline they inspect and verify.	☒	☐	☐
Verifications			
703.1 Verification of compliance with CALGreen may include construction documents, plans, specifications, builder or installer certification, inspection reports, or other methods acceptable to the enforcing agency, which show substantial conformance. Implementation verification shall be submitted to the Building Department after implementation of all required measures and prior to final inspection approval.	☐	☐	☐

GREEN BUILDING ACKNOWLEDGMENTS

Project Address: _____

Project Description: _____

SECTION 1 – DESIGN VERIFICATION

Complete all lines of Section 1 – “Design Verification” and submit the completed checklist (Columns 1 and 2) with the plans and building permit application to Permit Sonoma.

The owner/owner’s agent, design professional, Sonoma County Plan’s Examiner and the Sonoma County approved CALGreen special inspector have reviewed the plans and certify that the items checked above are hereby incorporated into the project plans in accordance with the requirements set forth in the 2022 California Green Building Standards Code as amended by the Sonoma County Code.

Owner Name _____ Signature _____ Date _____

Design Professional Name _____ Signature _____ Date _____

Plans Examiner Name _____ Signature _____ Date _____

Per Section 703.1 of the 2022 CALGreen Building Standards Code, the signee below has verified that adequate documentation has been provided to show compliance with the specified mandatory measures of the 2019 CALGreen Building Standards Code as amended by Chapter 7 of the Sonoma County Code.

County Listed CALGreen Special Inspector

Name _____ Signature _____ Date _____

Phone _____ E-mail _____ Certification Number _____

GREEN BUILDING ACKNOWLEDGMENTS

Project Address: _____

Project Description: _____

Section 2 – Implementation Verification

Complete all lines of Section 1 – “Design Verification” and submit the completed checklist (Columns 1 and 2) with the plans and building permit application to Permit Sonoma.

The signee below has inspected the work and has received sufficient documentation to verify and certify that the project identified above was constructed in accordance with this Green Building Checklist and in accordance with the requirements set forth in the 2022 California Green Building Standards Code as amended by Chapter 7 of the Sonoma County Code.

County Listed CALGreen Special Inspector

Name _____ Signature _____ Date _____

Phone _____ E-mail _____ Certification Number _____